



Color Blend: Del Mar  
Pattern: 1x1

## SPLASH COLLECTION

Glass Mosaic Tile Blends

AMosaic.com | 231.375.8037




MADE IN THE  
USA




100%  
Recycled Glass

# SPLASH COLLECTION

Splash Collection tone-on-tone color blends are available in 1" x 1" (25 x 25 mm) in eased edge.




**DEL MAR**  
E11.DELM.XXS




**STREAM**  
E11.STRE.XXS




**LAGOON**  
E11.LAGO.XXS




**MALIBU**  
E11.MALI.XXS




**GULF**  
E11.GULF.XXS



**MARINE**  
E11.MARI.XXS



**RIPPLE**  
E11.RIPP.XXS



**TIDAL**  
E11.TIDE.XXS



**MADE IN THE  
USA**

*Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017*

7103 Enterprise Drive | Spring Lake, MI 49456 | AMosaic.com | 231.375.8037



**100%  
Recycled Glass**

**OUR STORY**




**OVER 50 YEARS**  
*Of Italian Glass Mosaic Experience.*



**GLASS TRADITION**  
*Of beauty, consistency, & distinction.*



**100% RECYCLED**  
*And made in the USA.*



1" x 1" (25 x 25 mm)

**FINISH**

- Standard Color (PCL)
- Iridescent (IRD)
- Aventurina (AVC)

*Offered exclusively in an eased edge finish, our Splash Collection provides a seamless, smooth, and luxurious texture. Perfect for water feature applications such as pools, hot tubs, and more.*

<b>TEST PERFORMED</b>	<b>SHADE VARIATION</b>
ASTM C650-04 <i>Chemical Resistance</i> No Effect  ANSI A 137.2 <i>Thermal Shock Resistance</i> No Defects	V2 - Slight Variation Clearly distinguishable texture and/or pattern within similar colors.
ASTM C648 <i>Breaking Strength</i> Passes  ASTM C373 <i>Water Absorption</i> Impervious  ASTM C424 <i>Crazing Resistance</i> Passes  ASTM C499 <i>Facial Dimension/Thickness</i> Passes	
ASTM C485-09 <i>Warpage</i> Passes  ASTM C1026-13 <i>Freeze Thaw</i> Passes	<b>SUITABLE APPLICATIONS</b>
DCOF Acutest <i>Dynamic Coefficient of Friction</i> .33 AVG.	Interior and exterior walls. Pools/spa/submerged. Freezing environments. Light traffic floor use.
	<b>MAINTENANCE</b>
	Standard household glass cleaner, or a neutral mild detergent with water.
	<b>LEAD TIME</b>
	Normal lead time is 3-4 weeks or less. <i>Quick ship programs available.</i>

**Manufactured to exceed the requirements of ANSI A137.2.**

*Occasional variations in color, shade, tone and texture are to be expected in all glass products. Samples do not necessarily represent an exact match to existing inventory.*