



Color Blend: Wave  
Pattern: Hexagons

## SUPERIOR COLLECTION

Glass Mosaic Tile Blends

AMosaic.com | 231.375.8037




MADE IN THE  
USA




100%  
Recycled Glass

## SUPERIOR COLLECTION


Superior Collection tone-on-tone color blends are available in 1" x 1" (25 x 25 mm), 1"x 2" (25 x 52 mm), 1" x 4" (25 x 106 mm) or 1.5" Hexagon (38 mm) in eased edge.




**SEAGRASS**  
E11.SEAG.XXS



**WAVE**  
E11.WAVE.XXS




**HONEYCOMB**  
E11.HONE.XXS



**NORTHERN**  
E11.NORT.XXS



**MOONLIGHT**  
E11.MOON.XXS



**FOSSIL**  
E11.FOSS.XXS



**ICEBERG**  
E11.ICEB.XXS



**SNOWFALL**  
E11.SNOW.XXS



MADE IN THE  
USA

*Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017*  
7103 Enterprise Drive | Spring Lake, MI 49456 | AMosaic.com | 231.375.8037



100%  
Recycled Glass

## SUPERIOR COLLECTION

Superior Collection tone-on-tone color blends are available in 1" x 1" (25 x 25 mm), 1" x 2" (25 x 52 mm), 1" x 4" (25 x 106 mm) or 1.5" Hexagon (38 mm) in eased edge.



**SEAGRASS**  
E12.SEAG.XXB



**WAVE**  
E12.WAVE.XXB



**HONEYCOMB**  
E12.HONE.XXB



**NORTHERN**  
E12.NORT.XXB



**MOONLIGHT**  
E12.MOON.XXB



**FOSSIL**  
E12.FOSS.XXB



**ICEBERG**  
E12.ICEB.XXB



**SNOWFALL**  
E12.SNOW.XXB



MADE IN THE  
USA

Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017  
7103 Enterprise Drive | Spring Lake, MI 49456 | AMosaic.com | 231.375.8037



100%  
Recycled Glass

## SUPERIOR COLLECTION

Superior Collection tone-on-tone color blends are available in 1" x 1" (25 x 25 mm), 1" x 2" (25 x 52 mm), 1" x 4" (25 x 106 mm) or 1.5" Hexagon (38 mm) in eased edge.



**SEAGRASS**  
E14.SEAG.XXB



**WAVE**  
E14.WAVE.XXB



**HONEYCOMB**  
E14.HONE.XXB



**NORTHERN**  
E14.NORT.XXB



**MOONLIGHT**  
E14.MOON.XXB



**FOSSIL**  
E14.FOSS.XXB



**ICEBERG**  
E14.ICEB.XXB



**SNOWFALL**  
E14.SNOW.XXB



MADE IN THE  
USA

*Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017  
7103 Enterprise Drive | Spring Lake, MI 49456 | AMosaic.com | 231.375.8037*



100%  
Recycled Glass

## SUPERIOR COLLECTION

Superior Collection tone-on-tone color blends are available in 1" x 1" (25 x 25 mm), 1" x 2" (25 x 52 mm), 1" x 4" (25 x 106 mm) or 1.5" Hexagon (38 mm) in eased edge.



**SEAGRASS**  
E1X.SEAG.XXS




**WAVE**  
E1X.WAVE.XXS



**HONEYCOMB**  
E1X.HONE.XXS



**NORTHERN**  
E1X.NORT.XXS



**MOONLIGHT**  
E1X.MOON.XXS



**FOSSIL**  
E1X.FOSS.XXS



**ICEBERG**  
E1X.ICEB.XXS



**SNOWFALL**  
E1X.SNOW.XXS




MADE IN THE  
USA

*Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017*  
7103 Enterprise Drive | Spring Lake, MI 49456 | AMosaic.com | 231.375.8037




100%  
Recycled Glass


# SUPERIOR INFORMATION




1" x 1" (25 x 15 mm)




1" x 2" (25 x 52 mm) - Eased Edge  
Stacked Bond




1" x 2" (25 x 52 mm) - Eased Edge  
Running Bond




1" x 1" & 1" x 2"  
Morse




1" x 2"  
Herringbone



1.5" (38mm) Hexagon  
Stacked Bond



1" x 4" (25 x 54 mm) - Eased Edge  
Stacked Bond



1" x 4" (25 x 54 mm) - Eased Edge  
Running Bond

TEST PERFORMED		SHADE VARIATION
ASTM C650-04 <i>Chemical Resistance</i>	No Effect	V2 - Slight Variation Clearly distinguishable texture and/or pattern within similar colors.
ANSI A 137.2 <i>Thermal Shock Resistance</i>	No Defects	
ASTM C648 <i>Breaking Strength</i>	Passes	<b>SUITABLE APPLICATIONS</b>
ASTM C373 <i>Water Absorption</i>	Impervious	Interior and exterior walls. Pools/spa/submerged. Freezing environments. Light traffic floor use.
ASTM C424 <i>Crazing Resistance</i>	Passes	<b>MAINTENANCE</b>
ASTM C499 <i>Facial Dimension/Thickness</i>	Passes	Standard household glass cleaner, or a neutral mild detergent with water.
ASTM C485-09 <i>Warpage</i>	Passes	<b>LEAD TIME</b>
ASTM C1026-13 <i>Freeze Thaw</i>	Passes	Normal lead time is 3-4 weeks or less. <i>Quick ship programs available.</i>
DCOF Acutest <i>Dynamic Coefficient of Friction</i>	.33 AVG.	

**Manufactured to exceed the requirements of ANSI A137.2.**

Occasional variations in color, shade, tone and texture are to be expected in all glass products.  
Samples do not necessarily represent an exact match to existing inventory. 11-2017