

# AMERICAN GLASS

## MOSAICS



## CUSTOM MOSAICS



231.375.8037 | [info@amosaic.com](mailto:info@amosaic.com)

Custom made glass mosaic murals and artistic mosaics. Individually created and hand assembled.

## PROCESS

We follow a consultative process that involves you in all of the important details.

### Client provides:

Desired finished dimensions and colors.

A picture, sketch or rendering of the custom mosaic. A print-ready digital file is best.

### American Glass Mosaics provides:

Samples of the proposed colors.

Quote which includes price, options, and lead time.

Lead time will vary from 4 weeks to 12 weeks depending on the complexity of the mural. Lead time is from the date of purchase order.

When the quote is approved we will begin to assemble your mosaic.

Shipped product will include install directions and guidelines.




## FULLY CUSTOMIZED

*Ability to create handmade artistic mosaics that emphasize unique and/or classic patterns and combinations.*



## UNIQUE DESIGNS

*The possibilities are limitless. These projects put a stamp of one-of-a-kind personal expression to any glass mosaic project.*



## VERSATILITY

*Applications include interior and exterior walls, swimming pools, fountains and floors. Professional sports logos and corporate logos are a specialty area.*




## AVAILABLE OPTIONS Pricing will vary based on complexity of design.

Artistic mosaics and murals are made by our in-house artisans to fully satisfy the client's requirements. Each mosaic mural is individually planned to create the most accurate reproduction or representation of your artwork. Multiple colors, sizes, and shapes available to create your distinctive custom mosaic. Our glass is carefully annealed to perform at the highest quality in all outdoor environments.

American Glass Mosaics is the largest domestic manufacturer of cast glass mosaic tiles. Our glass mosaics are made using 100% recycled glass at our factory in Spring Lake, Michigan.

### OPTION ONE Most Basic

Hand placed tile with no tile cuts or minimal cut designs. Edges are normally squared.



### OPTION TWO Medium Complexity

Grid stacked pattern with hand cut soldier rows or comparable designs.



### OPTION THREE Most Complex

Hand cut fish scale pattern or other intricate pattern with significant tile cuts and hand placement.





Manufactured to exceed the requirements of ANSI A137.2. Occasional variations in color, shade, tone and texture are to be expected in all glass products. Samples do not necessarily represent an exact match to existing inventory.

FINISH: Clear, Iridescent, Aventurina, Beach, Sand Iridescent, Silver, and Arcadia.

| TEST PERFORMED   |            | SHADE VARIATION  |
|--|------------|--|
| ASTM C650-04<br><i>Chemical Resistance</i>             | No Effect  | V2 - Slight Variation<br>Clearly distinguishable texture and/or pattern within similar colors.             |
| ANSI A 137.2<br><i>Thermal Shock Resistance</i>        | No Defects |  |
| ASTM C648<br><i>Breaking Strength</i>                  | Passes     | <b>SUITABLE APPLICATIONS</b>   |
| ASTM C373<br><i>Water Absorption</i>                   | Impervious | Interior and exterior walls.<br>Pools/spa/submerged.<br>Freezing environments.<br>Light traffic floor use. |
| ASTM C424<br><i>Crazing Resistance</i>                 | Passes     |  |
| ASTM C499<br><i>Facial Dimension/Thickness</i>         | Passes     |  |
| ASTM C485-09<br><i>Warpage</i>                         | Passes     | <b>MAINTENANCE</b>   |
| ASTM C1026-13<br><i>Freeze Thaw</i>                    | Passes     | Standard household glass cleaner, or a neutral mild detergent with water.                                  |
| DCOF Acutest<br><i>Dynamic Coefficient of Friction</i> | .33 - .54  |  |
|  |            | <b>LEAD TIME</b>   |
|  |            | Normal lead time is 3-4 weeks or less.<br><i>Quick ship programs available.</i>                            |